

B1  
A

3 input device monitoring means for monitoring at least one of a location and  
4 an actuation state of the input device; and

5 display control means for displaying a selected menu of a plurality of  
6 menus on the basis of at least one of:

7 a number of consecutive actuations of the same input device in a  
8 predetermined time interval; and

9 a duration time of an actuation of the same input device.

1 2. (Amended) A graphical user interface for displaying a menu on the  
2 display screen on the basis of a predefined manipulation of an input device, comprising:

3 menu item management means for selecting and arranging items displayed  
4 in each one of a plurality of menus;

5 receiving means for receiving an event alert message responsive to a  
6 predefined manipulation of an input device; and

7 display control means for displaying a selected said menu on the basis of a  
8 predefined number of event alert messages received within a predetermined time interval,

9 said display control means including at least one of an event alert counter and an event  
10 alert timer, said event alert counter counting a number of event alert messages received

11 and said event alert timer timing a duration time of an actuation of the same input device.

Sub B1/ 1 4. (Amended) A graphical user interface for displaying a menu on a  
2 display screen and positioning a cursor on a particular portion of the menu on the basis of  
3 a predefined manipulation of an input device, the menu including a plurality of menu  
4 elements or commands which are grouped in a predefined manner, said graphical user  
5 interface comprising:

6 input device monitoring means for monitoring at least one of a location and  
7 an actuation state of the input device; and

8 display control means for displaying the menu in response to a first  
9 actuation of the input device, the menu being divided into a predetermined number of  
10 regions, each said region corresponding to a particular group of menu elements;

11 wherein said display control means positions the cursor on a selected said  
12 region of the menu on the basis of at least one of:

13 a number of consecutive actuations of a same input device in a  
14 predetermined time interval; and

15 a duration time of an actuation of the same input device.

Sub B1/ 1 7. (Amended) A computer system for displaying a selected menu on  
2 a display screen on the basis of manipulation of an input device, comprising:

3 receiving means for receiving an event alert message from an operating  
4 system, said event alert message alerting the occurrence of a particular manipulation of a  
5 same input device; and

B1

A3

6 display control means for displaying a selected said menu on the basis of  
7 one of:  
8 a duration time of said particular manipulation calculated as a time  
9 difference between receipt of a first event alert message and receipt of a second event  
10 alert message; and  
11 a number of event alert messages received in a predetermined time interval.

Sub  
B1

A4

10. (Amended) A computer readable storage medium storing a  
2 computer program for displaying a menu on the display screen of computer on the basis  
3 of manipulation of a same input device, comprising:  
4 program code means responsive to an event alert message from an  
5 operating system of a computer upon a particular manipulation of an input device; and  
6 program code means for displaying a selected menu on the basis of one of:  
7 the number of event alert message received within a predetermined time  
8 interval; and  
9 a duration time corresponding to an actuation of said input device  
10 calculated as a difference between receipt of a first event alert message and receipt of a  
11 second event alert message.